

Papers Published by the Department

1. Antineutrophil cytoplasmic autoantibodies (ANCA) in Pakistani patients with systemic vasculitides. *J Pak Med Assoc* 1994; 44: 272-5.
2. The clinical manifestations of Systemic Lupus Erythematosus in a Pakistani population.
3. Antibodies to the extractable nuclear antigens (ENA) in Pakistani patients with systemic rheumatic disease. *J Pak Med Assoc* 1995; 45: 12-4.
4. Chronic abdominal sepsis and migratory polyarthrits (letter). *Brit J Rheum* 1995; 34: 478-9.
5. Severe recurrent anaemia in a 50-year-old man: a common problem with an uncommon association; a case report and review of literature. *JPIMS*. Vol. 7, No. 1, 476-478. 1996.
6. Corticosteroid use and abuse by medical practitioners for arthritis and related disorders in Pakistan. *Brit J Rheum* 1997; 36: 91-4.
7. Rheumatoid arthritis in northern Pakistan: manifestations and disability. *APLAR J Rheum* 1997; 1: 15-7.
8. Fever and connective tissue diseases. *Inf Dis J Pak* 1997; 4: 15-7.
9. Periodic paralysis – an unusual complication of poorly controlled Diabetes Mellitus. *JPIMS*. Vol.7, No.2, 547-49. 1997.
10. Prevalence of major rheumatic disorders in the adult population of northern Pakistan.
11. Wegener's granulomatosis in the Indian subcontinent. *APLAR J Rheum* 1999; 2: 210-5.
12. Presenting features in Pakistani patients suffering from the antineutrophil cytoplasmic antibody-classical subtype (c-ANCA) associated vasculitis. *J Pak Med Assoc* 1999; 49; 54-6.
13. Rheumatic diseases: disability and provision of care in northern Pakistan. *APLAR J Rheum* 1999; 3: 314-7.

Papers Published by the Department

14. Hypertrophic osteoarthropathy associated with bacterial endocarditis. *Rheumatology* 1999 38:375-377.
15. Efficacy and Safety of Raloxifene 60 Milligrams/Day in Postmenopausal Asian Women. *J Clin Endocrinol Metab* 2003; 88(7): 3130–3136.
16. Unilateral Exploration for Primary Hyperparathyroidism. *J Coll Physicians Surg Pak* 2003, 13(10):588-591.
17. Oral enzyme combination versus diclofenac in the treatment of osteoarthritis of the knee – a double blind prospective randomised study. *Clin Rheumatol* 2004 23: 410-415.
18. Approach to Diabetic foot, *Annals of Pakistan Institute of Medical Sciences*. 2005; 1(1) Jan – Mar 2005, ISSN 1815-2287
19. Efficacy of non-selective non-steroidal anti-inflammatory drugs in 29 cases of osteoarthritis – a Pakistani experience. *Annals of Pakistan Institute of Medical Sciences*. Vol. 3(1), 24-26. 2007
20. Side effects of a non-selective non-steroidal anti-inflammatory drug, in 29 cases of osteoarthritis – a Pakistani experience. *Annals of Pakistan Institute of Medical Sciences*. Vol. 3(1), 27-29. 2007
21. The Current Pattern of Disease Modifying Anti Rheumatic Drugs Use in Patients Suffering from Rheumatoid Arthritis. *Annals of Pakistan Institute of Medical Sciences*. Vol. 4(1), 46-49. 2008.
22. Osteoarthritis. *Best Pract Res Clin Rheumatol*. 2008 Aug;22(4):657-75.
23. Guidelines for the management of rheumatoid arthritis beyond the first two years. *J R Coll Physicians Edinb* 2009; 39: 140-1
24. Prevalence and Risk Factor for Diabetes Mellitus in a Selected Urban Population of a city in Punjab. *J Pak Med Assoc*, Vol 61, No.1 January 2011
25. Diagnosis of patients presenting with monoarthritis. *Ann. Pak. Inst. Med. Sci.* 2012; 8(1): 14-18.

Papers Published by the Department

26. Prevalence of Dyslipidemias in Autoimmune Rheumatic Diseases. J Coll Physicians Surg Pak, 2012; 22(4): 235-239.
27. **Rheumatological Manifestations of HCV Infection at a Tertiary Care Hospital.** Ann. Pak. Inst. Med. Sci. 2013; 9(2): 57-60
28. Optimal dose and adverse effects of methotrexate used in rheumatoid arthritis in a tertiary care hospital of Pakistan. Pak Armed Forces Med J 2013; 63 (2): 225-230
29. Disease Activity Score in Rheumatoid Arthritis with or without Secondary Fibromyalgia. J Coll Physicians Surg Pak, 2013(6); 23: 413-417.
30. Frequency of methotrexate intolerance in juvenile idiopathic arthritis patients (jia): an experience using methotrexate intolerance severity score (miss). Pak Armed Forces Med J 2013; 63 (1): 34-37
31. Spectrum of systemic sclerosis in patients presenting to a tertiary care hospital in pakistan. Pakistan Armed Forces Medical Journal, 2014, 64(4), 591-5.
32. Anxiety and depression in patients suffering from chronic low backache. Pak Armed Forces Med J 2014; 64 (1): 9-13.
33. Radiographic appearance in hands and feet of rheumatoid arthritis patients at a tertiary care hospital in pakistan. Pak Armed Forces Med J 2015; 65(6): 735-38
34. Patterns of radiographic damage to cervical spine in polyarticular juvenile idiopathic arthritis patients presenting to tertiary care hospital in pakistan. Pak Armed Forces Med J 2015; 65(4): 553-56.
35. Effectiveness and safety of Rituximab in patients with active rheumatoid arthritis treated at a tertiary care hospital in Pakistan. Rawal Medical Journal. 2016; 41(2): 160-65.
36. Neuropsychiatric events attributed to systemic lupus erythematosus – a single center study from Pakistan. Rawal Medical Journal, 42 (3), 306-311, 2017
37. Growth retardation and functional disability in patients with juvenile idiopathic arthritis. Rawal Medical Journal, 42 (2), 199-202, 2017.
38. Frequency of methotrexate intolerance in rheumatoid arthritis patients presented to department of rheumatology PIMS hospital Islamabad.. International Journal of advanced Biotechnology and research, 10(1), 499-504, 2019.

Papers Published by the Department

39. Efficacy and safety of dose comparison (60mg/30mg) response of intravenous (IV) pulse pamidronate therapy in non-steroidal anti-inflammatory drugs (NSAIDS) refractory ankylosing spondylitis. International Journal of advanced Biotechnology and research, 10(1), 481-486, 2019.
40. Analysis of frequency of hyperuricemia in patients with prediabetes. IndoAmerican Journal of Pharmaceutical Sciences, 06 (09), 11944-11948, 2019.
41. International multicenter randomized, placebo-controlled phase III clinical trial of β -D-mannuronic acid in rheumatoid arthritis patients. Inflammopharmacology 2019 Oct;27(5):911-921. doi: 10.1007/s10787-018-00557-2. Epub 2019 Jan 2.
42. The Role of the Neutrophil-to-Lymphocyte Ratio and Platelet-to-Lymphocyte Ratio as Markers of Disease Activity in Ankylosing Spondylitis. Cureus 11(10): e6025. doi:10.7759/cureus, 2019.
43. Comparison of the cardiovascular disease (CVD) risk between systemic lupus erythematosus patients and normal control group. Pak Armed Forces Med J 2020; 70 (1): 205-10.
44. Prevalence of Depression in Patients with Juvenile Idiopathic Arthritis Presenting at a Tertiary Care Hospital. Cureus 12(1): e6807. doi:10.7759/cureus.6807. Jan 2020.
45. Association of tumor necrosis factor-alpha- 308 G/A Promotor Polymorphism with susceptibility and disease profile of Rheumatoid arthritis. Journal of Ayub medical college, Vol 32(2), 2020.